



Material Safety Data Sheet

Manufacturer Name:

FMI PAINT AND CHEMICAL, INC.
158 Hartford Rd.
Manchester, CT 06040

Emergency Telephone No.:

1-800-437-4567

Information Telephone No.:

(860) 643-2151

Date of Preparation: 11-27-2007

Section I: Product Identification

Product Name: END CUTS FOR DECKS
Product Class: OLEORESINOUS PRIMER

Section II: Hazardous Ingredients

<i>Ingredient</i>	<i>CAS No.</i>	<i>Weight Percent</i>	<i>Occupational Exposure Limits</i>	<i>Vapor pressure mm Hg @ temp.</i>
-------------------	----------------	-----------------------	-------------------------------------	-------------------------------------

NO HAZARDOUS INGREDIENTS

Section III: Physical Data

Boiling Range: N/A
Vapor Density: Does not vaporize
Evaporation Rate: N/A
Percent Volatile Volume: 0
Weight per Gallon: 7.9 lbs per gal.
Solids/Wt: 100%
Solids/Vol: 100%
VOC's: 0

Section IV: Fire and Explosion Hazard Data

FLAMMABILITY CLASSIFICATION: 3-B

FLASH POINT: >200 deg. F.

AUTO IGNITION TEMPERATURE: 650 F.

LEL: N/A

EXTINGUISHING MEDIA: FOAM, CO2, DRY CHEMICAL, B CLASS. TREAT AS APPROPRIATE FOR OIL FIRE.

UNUSUAL FIRE AND EXPLOSION HAZARDS: Oil will oxidize and can cause SPONTANEOUS COMBUSTION of contaminated rags or other ignitable absorbent material. Immerse in water immediately.

SPECIAL FIRE FIGHTING PROCEDURES: None known; however, fire fighters should wear self-contained breathing apparatus to prevent inhalation of smoke or vapors.



Section V: Health Hazard Data

EFFECTS OF OVEREXPOSURE:

EYES: Contact may result in eye irritation.

SKIN: Prolonged or repeated contact can cause skin irritation and dermatitis.

INHALATION: Vapors may cause irritation of the respiratory tract.

INGESTION: Ingestion of large amounts may cause gastrointestinal irritation.

MEDICAL CONDITIONS PRONE TO AGGRAVATION BY EXPOSURE: dermal (all), pulmonary (all).

CARCINOGENICITY: This product does not contain 0.1% or more of a substance listed as a carcinogen by NTP, IARC or OSHA.

PRIMARY ROUTE(S) OF ENTRY: Dermal, Inhalation, Ingestion

EMERGENCY AND FIRST AID PROCEDURES:

EYE: Contact may result in eye irritation. Flush with copious amount of water, lifting eyelids occasionally. If pain or redness persist after flushing, obtain medical attention.

SKIN: Wash with soap and water, remove contaminated clothing. If irritation persists, seek medical attention.

INHALATION: Remove victim to fresh air. Restore breathing. Seek medical advice.

INGESTION: Do not induce vomiting! If vomiting occurs, keep head below hips.

Section VI: Reactivity Data

Stability: stable

Hazardous polymerization: will not occur

Hazardous Decomposition Products: Oxides of Carbon

Container: Wet rags may ignite spontaneously

Conditions to Avoid: Avoid heat and open flames. Oil soaked rags should be disposed of in a fireproof container.

Incompatibility (Materials to Avoid): Avoid oxidizing materials.

Section VII: Spill or Leak Procedures

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED:

Eliminate sources of ignition. Dike spill and soak up with inert material. Keep spill out of surface waters and any watercourses leading to surface waters.

WASTE DISPOSAL METHOD:

Dispose of material in accordance with local, state, and federal regulations.

Section VIII: Safe Handling and Use Information

Respiratory Protection: Organic vapor respirator recommended.

Ventilation: Use explosion-proof exhaust as required to control vapor concentrations.

Protective Gloves: Impervious Gloves recommended

Eye Glasses: Safety Glasses or goggles recommended

Other Protective Equipment: Emergency shower and eye wash facilities recommended

Hygienic Practices: Wash hands with soap and water



Section IX: Special Precautions

Precautions to be taken in Handling and Storing: Store away from oxidizing materials in a cool dry place with adequate ventilation. Keep away from heat and open flames. Keep containers tightly sealed. Paint soaked rags should be disposed of in a fireproof container. **Spontaneous Combustion (fire) may result from materials such as rags, steel wool, paper and clothing soaked in oil. Place in a sealed, water filled, metal container to prevent this.**

Other Precautions: Wash with soap and water before eating drinking or smoking. Launder contaminated clothing before reuse.

Manufactured Exclusively For:

Ze-VO Products Group LLC
860 Worcester Road
Suite 200
Framingham, MA 01702
508-879-3151
608-531-9234 FAX
www.zevoproductsgroup.com

This information is given without any warranty or representation. We do not assume any legal responsibility for same, nor do we give permission, inducement, or recommendation to practice any patented invention without a license. It is offered solely for your consideration, investigation and verification. Before using any product, read its label.